	<b>SAFETY DATA SHEET</b>	Page : 1 / 18
		Revision nr : 3.0
		Issue date : 02/11/2022
	<b>FLEETCOOL OAT Concentrate</b>	Supersedes : 20/11/2018
		<b>LT36253</b>

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Trade name : FLEETCOOL OAT Concentrate  
Product code : CC36137 M (5L); CC36138 M (20L); CC36139 M (208L); CC36140 M (1000L); CC36141 M (Bulk)  
Product group : Trade product  
Document no. : LT36253

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use  
Use of the substance/mixture : Coolant

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Fleetguard  
Unit 3 / Valley Drive / Valley Park / Rugby  
CV21 1 TN Warwickshire - The United Kingdom  
T +44 (0)1788 853600  
[custserve.uk@fleetguard.com](mailto:custserve.uk@fleetguard.com)


Fleetguard  
Zone Industrielle du Grand Guelen  
29556 Quimper Cedex 9 - France  
T +33 (0) 2 98 76 49 49  
[fleetguard.support.emea@cummins.com](mailto:fleetguard.support.emea@cummins.com)

Fleetguard  
Catenbergstraat 1  
2840 Rumst - Belgium  
T +32 3 456 3000  
[fleetguard.support.emea@cummins.com](mailto:fleetguard.support.emea@cummins.com)

### 1.4. Emergency telephone number

Emergency number : +44 (0) 1235 239670 (Carechem24)  
Only available during office hours.

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)

	<b>SAFETY DATA SHEET</b>	Page : 2 / 18
	<b>FLEETCOOL OAT Concentrate</b>	Revision nr : 3.0
		Issue date : 02/11/2022
		Supersedes : 20/11/2018
		<b>LT36253</b>

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral) H302

STOT RE 2 H373

Full text of H- and EUH-statements: see section 16

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word

Contains

Hazard statements (CLP)

Precautionary statements (CLP)

- : Warning
- : ethanediol; ethylene glycol
- : H302 - Harmful if swallowed.
- : H373 - May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).
- : P264 - Wash hands thoroughly after handling.
- : P270 - Do not eat, drink or smoke when using this product.
- : P301+P312 - IF SWALLOWED: Call a POISON CENTER, doctor if you feel unwell.
- : P314 - Get medical advice/attention if you feel unwell.
- : P330 - Rinse mouth.
- : P501 - Dispose of contents and container to an approved waste disposal plant.

### 2.3. Other hazards

Other hazards

- : Results of PBT and vPvB assessment : Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

**FLEETCOOL OAT Concentrate**

Supersedes : 20/11/2018

**LT36253**

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanediol; ethylene glycol	(CAS-No.) 107-21-1 (EC-No.) 203-473-3 (EC Index) 603-027-00-1	90 – 100	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
dipotassium adipate	(CAS-No.) 19147-16-1 (EC-No.) 242-838-1	< 5	Eye Irrit. 2, H319
disodium metasilicate	(CAS-No.) 6834-92-0 (EC-No.) 229-912-9 (EC Index) 014-010-00-8	< 0,5	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335
sodium nitrate	(CAS-No.) 7631-99-4 (EC-No.) 231-554-3	< 0,5	Ox. Sol. 2, H272 Eye Irrit. 2, H319
Sodium molybdate	(CAS-No.) 7631-95-0 (EC-No.) 231-551-7	< 0,5	Not classified
1H-Benzotriazole	(CAS-No.) 95-14-7 (EC-No.) 202-394-1	< 0,5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 2, H411


Full text of H- and EUH-statements: see section 16

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**

Additional advice	: First aider: Pay attention to self-protection!. In case of doubt or persistent symptoms, consult always a physician. Concerning personal protective equipment to use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show this safety data sheet to the doctor in attendance.
Inhalation	: Remove casualty to fresh air and keep warm and at rest. In case of doubt or persistent symptoms, consult always a physician.
Skin contact	: Remove contaminated clothing and shoes. Gently wash with plenty of soap and water. Wash contaminated clothing before reuse. In case of doubt or persistent symptoms, consult always a physician.
Eyes contact	: Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of doubt or persistent symptoms, consult always a physician.
Ingestion	: Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical advice/attention.

**4.2. Most important symptoms and effects, both acute and delayed**

Inhalation	: May cause respiratory irritation. Dizziness. The following symptoms may occur: Cough. Headache.
Skin contact	: mild skin irritation . Components of the product may be absorbed into the body through the skin.
Eyes contact	: May cause eye irritation with susceptible persons. The following symptoms may occur: erythema (redness). Pain .
Ingestion	: Harmful if swallowed. Weakness. Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache). Kidney injury may occur. The absorption of this product into the body may lead to the formation of methaemoglobine that, in sufficient concentration, causes cyanosis. The following symptoms may occur: Vomiting. Unconsciousness. Nausea . Abdominal pain.
Chronic symptoms	: May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).

	<b>SAFETY DATA SHEET</b>	Page : 4 / 18
	<b>FLEETCOOL OAT Concentrate</b>	Revision nr : 3.0
		Issue date : 02/11/2022
		Supersedes : 20/11/2018
		<b>LT36253</b>

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

Suitable extinguishing media : carbon dioxide (CO<sub>2</sub>), powder, alcohol-resistant foam, water spray.

Unsuitable extinguishing media : Strong water jet.

**5.2. Special hazards arising from the substance or mixture**

Specific hazards : Not flammable. Heating will cause a rise in pressure with a risk of bursting.

Hazardous decomposition products in case of fire : Carbon oxides (CO, CO<sub>2</sub>). Formaldehyde.

**5.3. Advice for firefighters**

Firefighting instructions : Evacuate area. Use water spray or fog for cooling exposed containers. Contain the extinguishing fluids by bunding. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.

Other information : Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of waste in accordance with environmental legislation.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**6.1.1. For non-emergency personnel**

For non-emergency personnel : Evacuate unnecessary personnel. Keep upwind. Provide adequate ventilation. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Do not ingest. Wear recommended personal protective equipment. Concerning personal protective equipment to use, see section 8. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**6.1.2. For emergency responders**

For emergency responders : Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.

**6.3. Methods and material for containment and cleaning up**

Methods for cleaning up : Stop leak if safe to do so. Dam up the liquid spill. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Recover large spills by pumping (use an explosion proof or hand pump). Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). This material and its container must be disposed of in a safe way, and as per local legislation.

**6.4. Reference to other sections**

Concerning personal protective equipment to use, see section 8 . Concerning disposal elimination after cleaning, see section 13.

**FLEETCOOL OAT Concentrate**

Supersedes : 20/11/2018

**LT36253**
**SECTION 7: Handling and storage**
**7.1. Precautions for safe handling**

Precautions for safe handling

: Provide adequate ventilation. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. After use replace the closing cap immediately.

Hygiene measures

: Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.

**7.2. Conditions for safe storage, including any incompatibilities**

Storage conditions

: Store in a dry, cool and well-ventilated place. Do not store near or with any of the incompatible materials listed in section 10. Bund storage facilities to prevent soil and water pollution in the event of spillage.

Heat and ignition sources

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Special rules on packaging

: Containers which are opened should be properly resealed and kept upright to prevent leakage. After use replace the closing cap immediately.

Packaging materials

: Keep only in the original container.

**7.3. Specific end use(s)**

Coolant.

**SECTION 8: Exposure controls/personal protection**
**8.1. Control parameters**

ethanediol; ethylene glycol (107-21-1)		
EU	IOEL TWA	52 mg/m <sup>3</sup>
EU	IOEL TWA [ppm]	20 ppm
EU	IOEL STEL	104 mg/m <sup>3</sup>
EU	IOEL STEL [ppm]	40 ppm
EU	Remark	Possibility of significant uptake through the skin
Austria	MAK (OEL TWA)	26 mg/m <sup>3</sup>
Austria	MAK (OEL TWA) [ppm]	10 ppm
Austria	MAK (OEL STEL)	52 mg/m <sup>3</sup>
Austria	MAK (OEL STEL) [ppm]	20 ppm
Bulgaria	OEL TWA	52 mg/m <sup>3</sup>
Bulgaria	OEL TWA [ppm]	20 ppm
Bulgaria	OEL STEL	104 mg/m <sup>3</sup>
Bulgaria	OEL STEL [ppm]	40 ppm
Croatia	GVI (OEL TWA) [1]	52 mg/m <sup>3</sup>
Croatia	GVI (OEL TWA) [2]	20 ppm
Croatia	KGVI (OEL STEL)	104 mg/m <sup>3</sup>
Croatia	KGVI (OEL STEL) [ppm]	40 ppm
Cyprus	OEL TWA	52 mg/m <sup>3</sup>



## SAFETY DATA SHEET

Page : 6 / 18

Revision nr : 3.0

Issue date : 02/11/2022

### FLEETCOOL OAT Concentrate

Supersedes : 20/11/2018

**LT36253**

ethanediol; ethylene glycol (107-21-1)		
Cyprus	OEL TWA [ppm]	20 ppm
Cyprus	OEL STEL	104 mg/m <sup>3</sup>
Cyprus	OEL STEL [ppm]	40 ppm
Czech Republic	PEL (OEL TWA)	50 mg/m <sup>3</sup>
Denmark	OEL TWA [1]	26 mg/m <sup>3</sup> 10 mg/m <sup>3</sup> (atomized)
Denmark	OEL TWA [2]	10 ppm
Estonia	OEL TWA	52 mg/m <sup>3</sup> (total concentration of aerosol and vapor)
Estonia	OEL TWA [ppm]	20 ppm (total concentration of aerosol and vapor)
Estonia	OEL STEL	104 mg/m <sup>3</sup> (total concentration of aerosol and vapor)
Estonia	OEL STEL [ppm]	40 ppm (total concentration of aerosol and vapor)
Finland	HTP (OEL TWA) [1]	50 mg/m <sup>3</sup>
Finland	HTP (OEL TWA) [2]	20 ppm
Finland	HTP (OEL STEL)	100 mg/m <sup>3</sup>
Finland	HTP (OEL STEL) [ppm]	40 ppm
France	VME (OEL TWA)	52 mg/m <sup>3</sup> (indicative limit-vapor)
France	VME (OEL TWA) [ppm]	20 ppm (indicative limit-vapor)
France	VLE (OEL C/STEL)	104 mg/m <sup>3</sup> (indicative limit-vapor)
France	VLE (OEL C/STEL) [ppm]	40 ppm (indicative limit-vapor)
Germany	Occupational exposure limit value (mg/m <sup>3</sup> ) (TRGS900)	26 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	Occupational exposure limit value (ppm) (TRGS900)	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Gibraltar	OEL TWA	52 mg/m <sup>3</sup>
Gibraltar	OEL TWA [ppm]	20 ppm
Gibraltar	OEL STEL	104 mg/m <sup>3</sup>
Gibraltar	OEL STEL [ppm]	40 ppm
Greece	OEL TWA	125 mg/m <sup>3</sup> (vapor)
Greece	OEL TWA [ppm]	50 ppm (vapor)
Greece	OEL STEL	125 mg/m <sup>3</sup> (vapor)
Greece	OEL STEL [ppm]	50 ppm (vapor)
Hungary	AK (OEL TWA)	52 mg/m <sup>3</sup>
Hungary	CK (OEL STEL)	104 mg/m <sup>3</sup>
Ireland	OEL TWA [1]	52 mg/m <sup>3</sup>
Ireland	OEL TWA [2]	20 ppm
Ireland	OEL STEL	104 mg/m <sup>3</sup>
Ireland	OEL STEL [ppm]	40 ppm
Italy	OEL TWA	52 mg/m <sup>3</sup>



## SAFETY DATA SHEET

Page : 7 / 18

Revision nr : 3.0

Issue date : 02/11/2022

### FLEETCOOL OAT Concentrate

Supersedes : 20/11/2018

**LT36253**

#### ethanediol; ethylene glycol (107-21-1)

Italy	OEL TWA [ppm]	20 ppm
Italy	OEL STEL	104 mg/m <sup>3</sup>
Italy	OEL STEL [ppm]	40 ppm
Latvia	OEL TWA	52 mg/m <sup>3</sup>
Latvia	OEL TWA [ppm]	20 ppm
Lithuania	IPRV (OEL TWA)	25 mg/m <sup>3</sup> (aerosol and vapor)
Lithuania	IPRV (OEL TWA) [ppm]	10 ppm (aerosol and vapor)
Lithuania	TPRV (OEL STEL)	50 mg/m <sup>3</sup> (aerosol and vapor)
Lithuania	TPRV (OEL STEL) [ppm]	20 ppm (aerosol and vapor)
Luxembourg	OEL TWA	52 mg/m <sup>3</sup>
Luxembourg	OEL TWA [ppm]	20 ppm
Luxembourg	OEL STEL	104 mg/m <sup>3</sup>
Luxembourg	OEL STEL [ppm]	40 ppm
Malta	OEL TWA	52 mg/m <sup>3</sup>
Malta	OEL TWA [ppm]	20 ppm
Malta	OEL STEL	104 mg/m <sup>3</sup>
Malta	OEL STEL [ppm]	40 ppm
Netherlands	TGG-8u (OEL TWA)	52 mg/m <sup>3</sup> (fume) 10 mg/m <sup>3</sup> (droplets)
Netherlands	TGG-15min (OEL STEL)	104 mg/m <sup>3</sup>
Poland	NDS (OEL TWA)	15 mg/m <sup>3</sup>
Poland	NDSch (OEL STEL)	50 mg/m <sup>3</sup>
Portugal	OEL TWA	52 mg/m <sup>3</sup> (indicative limit value)
Portugal	OEL TWA [ppm]	20 ppm (indicative limit value)
Portugal	OEL STEL	104 mg/m <sup>3</sup> (indicative limit value)
Portugal	OEL STEL [ppm]	40 ppm (indicative limit value)
Portugal	OEL C	100 mg/m <sup>3</sup> (aerosol only)
Romania	OEL TWA	52 mg/m <sup>3</sup>
Romania	OEL TWA [ppm]	20 ppm
Romania	OEL STEL	104 mg/m <sup>3</sup>
Romania	OEL STEL [ppm]	40 ppm
Slovakia	NPHV (OEL TWA) [1]	52 mg/m <sup>3</sup>
Slovakia	NPHV (OEL TWA) [2]	20 ppm
Slovakia	NPHV (OEL C)	104 mg/m <sup>3</sup>
Slovenia	OEL TWA	52 mg/m <sup>3</sup>
Slovenia	OEL TWA [ppm]	20 ppm
Slovenia	OEL STEL	104 mg/m <sup>3</sup>
Slovenia	OEL STEL [ppm]	40 ppm
Spain	VLA-ED (OEL TWA) [1]	52 mg/m <sup>3</sup> (indicative limit value)
Spain	VLA-ED (OEL TWA) [2]	20 ppm (indicative limit value)



## SAFETY DATA SHEET

Page : 8 / 18

Revision nr : 3.0

Issue date : 02/11/2022


### FLEETCOOL OAT Concentrate

Supersedes : 20/11/2018

**LT36253**

<b>ethanediol; ethylene glycol (107-21-1)</b>		
Spain	VLA-EC (OEL STEL)	104 mg/m <sup>3</sup>
Spain	VLA-EC (OEL STEL) [ppm]	40 ppm
Sweden	NGV (OEL TWA)	25 mg/m <sup>3</sup> (limit value applies to the combined concentration of vapor and aerosol-aerosol and vapor)
Sweden	NGV (OEL TWA) [ppm]	10 ppm (limit value applies to the combined concentration of vapor and aerosol-aerosol and vapor)
Sweden	KTV (OEL STEL)	104 mg/m <sup>3</sup> (limit value applies to the combined concentration of vapor and aerosol-aerosol and vapor)
Sweden	KTV (OEL STEL) [ppm]	40 ppm (limit value applies to the combined concentration of vapor and aerosol-aerosol and vapor)
United Kingdom	WEL TWA (OEL TWA) [1]	10 mg/m <sup>3</sup> (particulates) 52 mg/m <sup>3</sup> (vapour)
United Kingdom	WEL TWA (OEL TWA) [2]	20 ppm (vapour)
United Kingdom	WEL STEL (OEL STEL)	104 mg/m <sup>3</sup> (vapour) 30 mg/m <sup>3</sup> (calculated-particulate)
United Kingdom	WEL STEL (OEL STEL) [ppm]	40 ppm (vapour)
Norway	Grenseverdi (OEL TWA) [1]	52 mg/m <sup>3</sup> (total sum of gas and particulate matter (aerosol) of the substance)
Norway	Grenseverdi (OEL TWA) [2]	20 ppm (total sum of gas and particulate matter (aerosol) of the substance)
Norway	Korttidsverdi (OEL STEL)	104 mg/m <sup>3</sup> (total sum of gas and particulate matter (aerosol) of the substance)
Norway	Korttidsverdi (OEL STEL) [ppm]	40 ppm (total sum of gas and particulate matter (aerosol) of the substance)
Switzerland	MAK (OEL TWA) [1]	26 mg/m <sup>3</sup> (aerosol, vapour)
Switzerland	MAK (OEL TWA) [2]	10 ppm (aerosol, vapour)
Switzerland	KZGW (OEL STEL)	52 mg/m <sup>3</sup> (aerosol, vapour)
Switzerland	KZGW (OEL STEL) [ppm]	20 ppm (aerosol, vapour)
Australia	OES TWA [1]	10 mg/m <sup>3</sup> (particulate) 52 mg/m <sup>3</sup> (vapour)
Australia	OES TWA [2]	20 ppm (vapour)
Australia	OES STEL	104 mg/m <sup>3</sup> (vapour)
Australia	OES STEL [ppm]	40 ppm (vapour)
Canada (Quebec)	Plafond (OEL C)	127 mg/m <sup>3</sup> (mist and vapour)
Canada (Quebec)	Plafond (OEL C) [ppm]	50 ppm (mist and vapour)
USA - ACGIH	ACGIH OEL TWA [ppm]	25 ppm (vapor fraction)
USA - ACGIH	ACGIH OEL STEL	10 mg/m <sup>3</sup> (inhalable particulate matter, aerosol only)
USA - ACGIH	ACGIH OEL STEL [ppm]	50 ppm (vapor fraction)
<b>sodium nitrate (7631-99-4)</b>		
Czech Republic	PEL (OEL TWA)	6 mg/m <sup>3</sup> (dust)



	<b>SAFETY DATA SHEET</b>	Page : 9 / 18
	<b>FLEETCOOL OAT Concentrate</b>	Revision nr : 3.0
		Issue date : 02/11/2022
		Supersedes : 20/11/2018
		<b>LT36253</b>

<b>1H-Benzotriazole (95-14-7)</b>		
Latvia	OEL TWA	5 mg/m <sup>3</sup>

Additional information : Recommended monitoring procedures :. Personal air monitoring. Room air monitoring

### **8.2. Exposure controls**

Engineering measure(s) : Provide adequate ventilation. Use only in area provided with appropriate exhaust ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Organisational measures to prevent/limit releases, dispersion and exposure. See Section 7 for information on safe handling.

Personal protective equipment : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hand protection : Wear chemically resistant gloves (tested to EN374) . Suitable material: Not determined. Breakthrough time : Not determined. Thickness : Not determined. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Eye protection : Use suitable eye protection (EN166): tightly fitting safety goggles. Safety glasses

Body protection : Wear suitable protective clothing

Respiratory protection : Not required for normal conditions of use. In case of insufficient ventilation, wear suitable respiratory equipment. Half-face mask (DIN EN 140). full face mask (DIN EN 136). Filter type: A (EN 14387). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. (EN 137)

Thermal hazard protection : Not required for normal conditions of use. Use dedicated equipment.

Environmental exposure controls : Avoid release to the environment. Comply with applicable Community environmental protection legislation.

## **SECTION 9: Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

Physical state	: Liquid
Appearance	: clear. Liquid.
Colour	: Violet.
Odour	: Characteristic.
Odour threshold	: No data available
pH	: 8 – 9
pH solution	: 100 %
Relative evaporation rate (butylacetate=1)	: No data available
Melting / freezing point	: No data available
Freezing point	: No data available
Initial boiling point and boiling range	: 195 °C
Flash point	: 111 °C Open cup
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability	: Not applicable,liquid
Vapour pressure	: No data available
Vapour density	: No data available

**FLEETCOOL OAT Concentrate**

Supersedes : 20/11/2018

**LT36253**

Relative density	: No data available
Solubility	: Water: No data available
Partition coefficient n-octanol/water	: No data available
Kinematic viscosity	: No additional information available
Dynamic viscosity	: No additional information available
Explosive properties	: Not applicable. The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.
Oxidising properties	: Not applicable. The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.
Explosive limits	: No data available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

**9.2. Other information**
**9.2.1. Information with regard to physical hazard classes**

No additional information available

**9.2.2. Other safety characteristics**

VOC content : None

**SECTION 10: Stability and reactivity**
**10.1. Reactivity**

None under normal conditions. Reference to other sections: 10.4 &amp; 10.5.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Hazardous polymerisation does not occur. No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid**


Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. See Section 7 for information on safe handling.

**10.5. Incompatible materials**

oxidising substances. acids and bases . See Section 7 for information on safe handling.

**10.6. Hazardous decomposition products**

Burning produces noxious and toxic fumes. Hazardous decomposition products. Carbon oxides. Formaldehyde . Reference to other sections 5.2.

	<b>SAFETY DATA SHEET</b>	Page : 11 / 18
	<b>FLEETCOOL OAT Concentrate</b>	Revision nr : 3.0
		Issue date : 02/11/2022
		Supersedes : 20/11/2018
		<b>LT36253</b>

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Harmful if swallowed.

ATE CLP (oral)	552,914 mg/kg bodyweight
----------------	--------------------------

#### disodium metasilicate (6834-92-0)

LD50/oral/rat	1153 mg/kg
---------------	------------

#### ethanediol; ethylene glycol (107-21-1)

LD50/oral/rat	4700 mg/kg
LD50/dermal/rat	10600 mg/kg
LC50/inhalation/4h/rat	> 2,5 mg/l (Exposure time: 6 h)

#### sodium nitrate (7631-99-4)

LD50/oral/rat	1267 mg/kg
---------------	------------

#### Sodium molybdate (7631-95-0)

LD50/oral/rat	4000 mg/kg
LD50/dermal/rat	> 2000 mg/kg
LC50/inhalation/4h/rat	> 5,1 mg/l/4h (Exposure time: 4 h)

#### 1H-Benzotriazole (95-14-7)


LD50/oral/rat	560 mg/kg
LD50/dermal/rabbit	> 10000 mg/kg
LC50/inhalation/4h/rat	1910 mg/m <sup>3</sup> (Exposure time: 3 h)

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 8 – 9
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 8 – 9
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

#### FLEETCOOL OAT Concentrate

Kinematic viscosity	No additional information available
---------------------	-------------------------------------

Other adverse effects	: May cause damage to organs through prolonged or repeated exposure.
Other information	: Symptoms related to the physical, chemical and toxicological characteristics. For further information see section 4.

	<b>SAFETY DATA SHEET</b>	Page : 12 / 18
		Revision nr : 3.0
	<b>FLEETCOOL OAT Concentrate</b>	Issue date : 02/11/2022
		Supersedes : 20/11/2018
		<b>LT36253</b>

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### 11.2.2 Other information

Other adverse effects : May cause damage to organs through prolonged or repeated exposure.

Other information : Symptoms related to the physical, chemical and toxicological characteristics, For further information see section 4

## SECTION 12: Ecological information

### 12.1. Toxicity

Environmental properties : According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

#### disodium metasilicate (6834-92-0)

LC50 - Fish [1]	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])
LC50 - Fish [2]	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)

#### ethanediol; ethylene glycol (107-21-1)

LC50 - Fish [1]	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LC50 - Fish [2]	14 – 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 - Crustacea [1]	46300 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 96h - Algae [1]	6500 – 13000 mg/l (Species: Pseudokirchneriella subcapitata)

#### sodium nitrate (7631-99-4)

LC50 - Fish [1]	2000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
LC50 - Fish [2]	994,4 – 1107 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])


#### 1H-Benzotriazole (95-14-7)

LC50 - Fish [1]	39 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 - Crustacea [1]	141,6 mg/l (Exposure time: 48 h - Species: water flea)
EC50 96h - Algae [1]	15,4 mg/l (Species: freshwater algae)

### 12.2. Persistence and degradability

#### FLEETCOOL OAT Concentrate

Persistence and degradability : The product itself has not been tested.

	<b>SAFETY DATA SHEET</b>	Page : 13 / 18
		Revision nr : 3.0
		Issue date : 02/11/2022
	<b>FLEETCOOL OAT Concentrate</b>	Supersedes : 20/11/2018
		<b>LT36253</b>

### 12.3. Bioaccumulative potential

FLEETCOOL OAT Concentrate	
Partition coefficient n-octanol/water	No data available
Bioaccumulative potential	No additional information available.

ethanediol; ethylene glycol (107-21-1)	
Partition coefficient n-octanol/water	-1,36

dipotassium adipate (19147-16-1)	
Partition coefficient n-octanol/water	-4,2 (at 20 °C (at pH 7)

sodium nitrate (7631-99-4)	
Partition coefficient n-octanol/water	-3,8 (at 25 °C)

### 12.4. Mobility in soil

FLEETCOOL OAT Concentrate	
Mobility in soil	No data available
Ecology - soil	The product itself has not been tested.

### 12.5. Results of PBT and vPvB assessment

FLEETCOOL OAT Concentrate	
Results of PBT assessment	Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %


### 12.7. Other adverse effects

Other adverse effects : No data available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Avoid release to the environment. Dispose of empty containers and wastes safely. See Section 7 for information on safe handling. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations.

	<b>SAFETY DATA SHEET</b>	Page : 14 / 18
		Revision nr : 3.0
		Issue date : 02/11/2022
	<b>FLEETCOOL OAT Concentrate</b>	Supersedes : 20/11/2018
		<b>LT36253</b>

European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC)

: This material and its container must be disposed of as hazardous waste  
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities  
The following Waste Codes are only suggestions:  
07 02 04\* - other organic solvents, washing liquids and mother liquors  
150110 - packaging containing residues of or contaminated by dangerous substances

#### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

#### 14.6. Special precautions for user

Special precautions for user : No data available

#### - Overland transport

No data available

#### - Transport by sea

No data available

#### - Air transport

No data available

#### - Inland waterway transport


No data available

#### - Rail transport

No data available

#### 14.7. Maritime transport in bulk according to IMO instruments

Code: IBC : No data available.

	<b>SAFETY DATA SHEET</b>	Page : 15 / 18
	<b>FLEETCOOL OAT Concentrate</b>	Revision nr : 3.0
		Issue date : 02/11/2022
		Supersedes : 20/11/2018
		<b>LT36253</b>

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Listed on REACH Annex XVII (Restriction Conditions). The following restrictions are applicable:

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	FLEETCOOL OAT Concentrate ; ethanediol; ethylene glycol
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	1H-Benzotriazole

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

VOC content : None

#### 15.1.2. National regulations

##### France

No ICPE	Installations classées Désignation de la rubrique	Code Régime	Rayon
na	Not Applicable	na	na

##### Germany

Regulatory reference : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

German storage class (LGK) : LGK 12 - Non-combustible liquids

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

TA Luft : 5.2.5 Organic Substances

##### Netherlands

Waterbezwaarlijkheid : B (5) - Weinig schadelijk voor in het water levende organismen

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : Sodium molybdate is listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

##### Denmark



## SAFETY DATA SHEET

Page : 16 / 18

Revision nr : 3.0

Issue date : 02/11/2022

### FLEETCOOL OAT Concentrate

Supersedes : 20/11/2018

**LT36253**

Recommendations Danish Regulation

: Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

#### 15.2. Chemical safety assessment

Not required

### SECTION 16: Other information

Indication of changes:

2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Hazard statements (CLP)	Modified	
2.2	Precautionary statements (CLP)	Modified	
2.3	ED text	Added	
4.2	Chronic symptoms	Added	
4.3	Indication of any immediate medical attention and special treatment needed	Added	
5.2	Special hazards arising from the substance or mixture	Modified	
5.3	Advice for firefighters	Modified	
7.2	Special rules on packaging	Added	
7.3	Specific end use(s)	Added	
9.2	Information with regard to physical hazard classes	Added	
9.2	Other safety characteristics	Added	
11.1	Reproductive toxicity	Added	
11.1	STOT-single exposure	Modified	
11.2	Adverse health effects caused by endocrine disrupting properties	Added	
12.6	Adverse effects on the environment caused by endocrine disrupting properties	Added	
14.7	Maritime transport in bulk according to IMO instruments	Added	
15.1	German storage class (LGK)	Added	
15.1	Waterbezwaarlijkheid	Modified	
15.1	Installations classées	Added	
16	Other information	Added	

Abbreviations and acronyms:





## SAFETY DATA SHEET

Page : 17 / 18

Revision nr : 3.0

Issue date : 02/11/2022

### FLEETCOOL OAT Concentrate

Supersedes : 20/11/2018

**LT36253**

	ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods Code LEL = Lower Explosive Limit/Lower Explosion Limit UEL = Upper Explosion Limit/Upper Explosive Limit REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
	CSR = CSR = Chemical Safety Report
	EC50 = Median Effective Concentration
	LD50 = Median lethal dose
	LC50 = Median lethal concentration
	N.O.S. = Not Otherwise Specified
	DNEL = DNEL = Derived No Effect Level
	PNEC = Predicted No Effect Concentration
	TLV = Threshold limits
	TWA = time weighted average
	STEL = Short term exposure limit
	persistent, bioaccumulating and toxic (PBT).
	vPvB = very persistent and very bioaccumulating
	WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)
	ABM = Algemene beoordelingsmethodiek
	BTT = Breakthrough time (maximum wearing time)
	DMEL = Derived Minimal Effect level
	EL50 = Median effective level
	ErC50 = EC50 in terms of reduction of growth rate
	ErL50 = EL50 in terms of reduction of growth rate
	EWC = European waste catalogue
	LL50 = Median lethal level
	NA = Not applicable
	NOEC = No observed effect concentration
	NOEL: no-observed-effect level
	NOELR = No observed effect loading rate
	NOAEC = No observed adverse effect concentration
	NOAEL = No observed adverse effect level
	OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
	Quantitative structure-activity relationship (QSAR)
	STOT = Specific Target Organ Toxicity
	VOC = Volatile organic compounds


Sources of key data used to compile the datasheet : ECHA (European Chemicals Agency). LOLI. Supplier information.

Training advice : Manipulations are to be done only by qualified and authorised persons. Normal use of this product shall imply use in accordance with the instructions on the packaging. Training staff on good practice.

Other information : Classification - Assessment method: CLP Calculation method (Article 9).

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2

	<b>SAFETY DATA SHEET</b>	Page : 18 / 18
		Revision nr : 3.0
		Issue date : 02/11/2022
	<b>FLEETCOOL OAT Concentrate</b>	Supersedes : 20/11/2018
<b>LT36253</b>		

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
Met. Corr. 1	Corrosive to metals, Category 1
Ox. Sol. 2	Oxidising Solids, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
Classification according to Regulation (EC) No. 1272/2008 [CLP]  
Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.